

2” CAM-BUCKLE & LIGHT WEIGHT RATCHET TIE DOWNS

**WEB CARGO CONTROL BINDER WITH PULL TIGHT CAM-BUCKLE OR
LIGHT WEIGHT RATCHET ACTION BUCKLE**

2” CAM-BUCKLE TIE DOWN



2” cam-buckles are great for light weight loads and for traveling shorter distances.
The standard work load limit is 1,000 lbs. and the breaking strength is 3,000 lbs.
(Pictured with wire hooks.)

2” LIGHT DUTY RATCHET TIE DOWN



2” light duty ratchet tie downs are great for lighter weight loads.
The standard work load limit is 1,400 lbs. and the breaking strength is 4,400 lbs.
(Pictured with e-track hooks.)

****SEE PAGE 3 FOR THE DIFFERENT TYPES OF HOOKS THAT ARE AVIALABLE FOR
THESE TYPES OF CARGO CONTROL TIE DOWN ASSEMBLIES.****

(We will make your assemblies any length you want!)

2" RATCHET TIE DOWNS

WEB CARGO CONTROL BINDER WITH RATCHET ACTION BUCKLE

2" RATCHET STYLES

STYLE #1 - 12" CHAIN WITH GRAB HOOK



STYLE #4 - 10,000 LB. FLAT HOOKS



STYLE #6 - 10,000 LB. ENDLESS STRAP



STYLE #7 - 10,000 LB. WIRE HOOKS



****The standard work load limit is 3,333 lbs. and the breaking strength is 10,000 lbs.****

****SEE PAGE 3 FOR THE DIFFERENT TYPES OF HOOKS THAT ARE AVIALABLE FOR THESE TYPES OF CARGO CONTROL TIE DOWN ASSEMBLIES.****

(We will make your assemblies any length you want!)

2" RATCHET TIE DOWN HOOKS



Vinyl Coated S-Hook
3,300 Lbs. Breaking Strength



Slat Hook
3,000 Lbs. Breaking Strength



2" Narrow Flat Hook
5,000 Lbs. Breaking Strength



2" Twisted Snap Hook
10,000 Lbs. Breaking Strength



2" Flat Snap Hook
10,000 Lbs. Breaking Strength



Eye Slip Hook
15,000 Lbs. Breaking Strength